PATENT COOPERATION TREATX

PCT

REC'D 0 4 FEB 2005

INTERNATIONAL PRELIMINARY EXAMINATION REPORT PCT

(PCT Article 36 and Rule 70)

07 JUN 2005

• • •	cant's o	_	nt's file reference	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
International application No.				International filing date (day/month/year)	Priority date (day/month/year)		
PCT/NL 03/00881				11.12.2003	-	11.12.2002		
	nationa L31/0		nt Classification (IPC) or bo	oth national classification a	nd IPC			
Appli DSN		SSE	TS B.V. et al					
1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.							
2.	 This REPORT consists of a total of 6 sheets, including this cover sheet. This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Author (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). 							
	These annexes consist of a total of 1 sheets.							
3.	Thie	rano	t contains indications re	elating to the following it	ems:			
0.	1	.cpc.	Basis of the opinion	Jaming to the remaining is				
	'n		Priority					
	111		•	opinion with regard to n	ovelty, inventive step	and industrial applicability		
	IV		Lack of unity of invent	•				
	٧	⊠	Reasoned statement citations and explanat	under Rule 66.2(a)(ii) wi tions supporting such sta	ith regard to novelty, in atement	nventive step or industrial applicability;		
	VI		Certain documents cit	ted				
	VII		Certain defects in the	international application	1			
	VIII		Certain observations	on the international appl	lication			
Date of submission of the demand					Date of completion of t	his report		
21.06.2004					07.02.2005			
			g address of the internation	nal	Authorized Officer	Striken Princeson.		
	<u></u>	Eu NL Te		Bas	Menidjel, R Telephone No. +31 70	340-3680		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/NL 03/00881

 Basis of the repo

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Description, Pages								
	1-6		as originally filed						
	Clai	ims, Numbers							
	1-9		received on 11.11.2004 with letter of 09.11.2004						
2.	With lang	n regard to the langua guage in which the inte	age, all the elements marked above were available or furnished to this Authority in the ernational application was filed, unless otherwise indicated under this item.						
	The	These elements were available or furnished to this Authority in the following language: , which is:							
		the language of a tra	inslation furnished for the purposes of the international search (under Rule 23.1(b)).						
		the language of publ	ication of the international application (under Rule 48.3(b)).						
		the language of a tra Rule 55.2 and/or 55.5	inslation furnished for the purposes of international preliminary examination (under 3).						
3.			otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:						
		contained in the inter	rnational application in written form.						
		filed together with the	e international application in computer readable form.						
		furnished subsequer	ntly to this Authority in written form.						
		furnished subsequently to this Authority in computer readable form.							
			he subsequently furnished written sequence listing does not go beyond the disclosure pplication as filed has been furnished.						
		The statement that the listing has been furnitude.	he information recorded in computer readable form is identical to the written sequence ished.						
4.	The	amendments have re	esulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						
		the drawings,	sheets:						
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).							
		(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to to report.)							
6.	Add	ditional observations, if necessary:							

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/NL 03/00881

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims No: Claims 1-9

Inventive step (IS)

Yes: Claims

1-9

No: Claims

Yes: Claims

1-9

No: Claims

2. Citations and explanations

Industrial applicability (IA)

see separate sheet

EXAMINATION REPORT - SEPARATE SHEET

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1 The following documents (D1,D2,D3,D4) are referred to in this communication (Article 33(6) PCT); the numbering will be adhered to in the rest of the procedure:
- D1: US-A-3 124 136 (FRANCIS C. USHER) 10 March 1964 (1964-03-10)
- D2: EP-A-0 561 108 (UNITED STATES SURGICAL CORP) 22 September 1993 (1993-09-22)
- D3: US-A-3 054 406 (USHER FRANCIS C) 18 September 1962 (1962-09-18)
- D4: EP-A-0 205 960 (ALLIED CORP) 30 December 1986 (1986-12-30)
- The amendments filed by the applicant do not introduce subject-matter which extends beyond the content of the application as filed (Article 34(2)(b) PCT).

2. Novelty (Article 33(2) PCT)

- The subject-matter of present claims 1-9 is considered as novel over the cited prior art for the following reasons (Article 33(2) PCT):
- Documents D1 (US3124136) describes a woven surgical mesh and method to obtain it, wherein the woven surgical mesh is made of polyethylene thread or yarn having a tensile strength in the range of 50,000-150,000 p.s.i. (0.3-1.0 GPa). The polyethylene mesh described in document D1 is inert and nonirritating even in the presence of infection (Cf. D1, column 1, lines 22-63; column 2, line 39-column 3, line 59; column 4, lines 26-60; column 5, lines 6-38).

Document D1 does not refer to polyethylene yams having a tensile strength of more than 1.0 GPa nor a sheath which is a substantially non-porous layer.

Document D2 (EP0561108) discloses a surgical repair suture product and method to obtain it, wherein the textile surgical articles are constructed in whole or in part from high tenacity low elongation fibres such as ultra-high molecular weight extended chain polyethylene high tenacity fibers. The fibres exhibit strengths from 375-560 kpsi (2.25-3.36 GPa) and tensile moduli of from 15-30 msi (Cf. D2, page 2, line 55-page 3, line 7; page 3, lines 41-53; page 4, line 19-page 5, line 11; claims 1-14).

Document D2 does not refer to surgical mesh nor to a sheath which is a substantially nonporous layer.

- Document D3 (US3054406), cited by the Applicant, describes surgical mesh and method



INTERNATIONAL PRELIMINARY

International application No. PCT/NL 03/00881

EXAMINATION REPORT - SEPARATE SHEET

to obtain it, wherein the surgical mesh is made of polyethylene thread or yarn having a tensile strength in the range of 50,000-150,000 p.s.i. (0.3-1.0 GPa). The polyethylene used to prepare the mesh is known in the art as "high-density" or "low-pressure" polyethylene (Cf. D3, column 1, lines 8-30; column 1, lines 46-53; column 1, line 72-column 2, line 60; column 3, lines 29-61; claims 1-5).

Document D3 does not refer to polyethylene yams having a tensile strength of more than 1.0 GPa nor a sheath which is a substantially non-porous layer.

- Document D4 (EP0205960), cited by the Applicant, discloses very low creep, ultra high modulus, low shrink, high tenacity polyethylene fibre having good strength retention at high temperatures and the method to produce such fibre. The fibre described in document D4 has a tenacity of at least about 1.73-2.77 GPa and are used as implants, sutures and prosthetic devices (Cf. D4, column 1, lines 29-44, column 2, line 39-column 3, line 26; column 3, line 34-column 4, line 5; examples 1-13).

Document D4 does not describe a surgical mesh nor yarns with a substantially non-porous sheath layer around a filamentous core.

3. Inventive Step (Article 33(1),(3) PCT)

- The subject-matter of present claims 1-9 does involve an inventive step for the following reasons (Article 33(1),(3) PCT):
- The subjective problem to be solved by the present application is to provide a surgical soft tissue mesh, which combines flexibility with a high tenacity to obtain a thinner mesh that allows the mesh to be rolled or folded and thereafter inserted into the cannula of a needle for deployment in the body.
- The solution proposed in the present application is a soft and flexible surgical tissue mesh comprising polyethylene yarns as described in present claim 1.
- Document D3 (US3054406), cited by the Applicant, describes surgical mesh and method to obtain it, wherein the surgical mesh is made of polyethylene thread or yarn having a tensile strength in the range of 50,000-150,000 p.s.i. (0.3-1.0 GPa). The polyethylene used to prepare the mesh is known in the art as "high-density" or "low-pressure" polyethylene (Cf. D3, column 1, lines 8-30; column 1, lines 46-53; column 1, line 72-column 2, line 60; column 3, lines 29-61; claims 1-5).
- The difference between the teaching of the closest prior art and the present invention is that the polyethylene yarns have a tensile strength of more than 1.0 GPa with a



INTERNATIONAL PRELIMINARY

International application No. PCT/NL 03/00881

EXAMINATION REPORT - SEPARATE SHEET

substantially non-porous sheath layer around a filamentous core.

- The technical effect of this difference is the provision of a soft and flexible surgical soft tissue mesh which combines flexibility with sufficient tenacity.
- Hence, the subject-matter of present claims 1-9 would not have been an obvious option for the skilled person, and therefore present claims 1-9 involve an inventive step (Article 33(1),(3) PCT).

4. Industrial Application (Article 33(4) PCT)

- The subject-matter of present claims 1-9 is considered to be industrially applicable; claims 1-9 therefore, satisfy the criterion set forth in Article 33(4) PCT.

Enclosures to letter dated 09 November 2004 concerning European Patent Appln. No. PCT/NL2003/000881; -DSM IP Assets B.V.-; ref: 21429WO.

AMENDED SET OF CLAIMS

- Soft and flexible surgical soft tissue mesh comprising polyethylene yarns, characterized in that the polyethylene yarns have a tensile strength of more than 1.0 GPa, determined as specified in ASTM D885M using a nominal gauge length of the fibre of 500 mm and a crosshead speed of 50%/min, consist of polyethylene with a relative viscosity of more than 5 dl/g as measured on a solution of polyethylene in decalin with a concentration of 0.05% at 135°C according to ASTM D 4020, and are sheath and core yarns having a weight ratio between the sheath and the core of below 5:1, wherein the core is formed by filaments that show no or only little adhesion to each other and the sheath is a substantially non-porous layer.
- 2. Mesh according to claim 1, wherein the mesh is knitted.
- 3. Mesh according to claim 1 or claim 2, wherein the yarns have a weight ratio between the sheath and the core of below 3:1.
- 4. Mesh according to any of claims 1-3, wherein the yarn comprises a medical drug.
- Method of producing a soft and flexible surgical soft tissue mesh comprising polyethylene yarns, characterized in that yarns are applied that comprise filaments made by:
 - a) spinning at least one filament from a solution of polyethylene with a relative viscosity of more than 5 dl/g, as measured on a solution of polyethylene in decalin with a concentration of 0.05% at 135°C according to ASTM D 4020, in a first solvent:
 - b) cooling the filament obtained to form a solvent-containing gel filament;
 - c) removing at least partly the solvent from the gel filament; and
 - d) drawing the filament in at least one drawing step before, during or after removing solvent, to result in a tensile strength of more than 1.0 GPa, determined as specified in ASTM D885M using a nominal gauge length of the fibre of 500 mm and a crosshead speed of 50%/min;
 - further comprising a step wherein the yarns are subjected to a heat treatment to form a modified yarn comprising a sheath and a core with a weight ratio between sheath and core of below 5:1, which sheath is substantially non-porous.
- 6. Method according to claim 5, wherein the weight ratio is below 3:1.
- 7. Method according to claim 5 or 6, wherein the heat treatment is performed in the presence of a second solvent for polyethylene.
- 8. Method according to any one claims 5-7, further comprising a step of incorporating a medical drug into the yarns by adding the drug to the first or the second solvent.
- 9. Method according to any one of claims 5-8, further comprising a step of heating the mesh under constant strain at a temperature between the melting temperature of the polyethylene and a temperature not more than 20 degrees below the melting temperature.